



productcertificate  
K66561/01

Issued 2012-03-01  
Replaces -  
Page 1 of 3

## Ductile iron wide tolerance couplings

### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by


### **AVK International A/S**

complying with the technical specifications as laid down in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate, on delivery, may be relied upon to comply with Kiwa evaluation guideline

**BRL-K775/03** "Ductile iron wide tolerance couplings for different materials: ductile iron, grey iron, steel, PVC-U, PE, fibre cement".

As well as to

**EN 14525:** "Ductile iron wide tolerance couplings for different materials: ductile iron, grey iron, steel, PVC-U, PE, fibre cement, d.d. 01-11-2004"



Bouke Meekma  
Kiwa

Publication of the certificate is allowed.

Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.

Kiwa Nederland B.V  
Sir W. Churchill-laan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
  
Tel. +31 70 414 44 00  
Fax +31 70 414 44 20  
E-mail [info@kiwa.nl](mailto:info@kiwa.nl)  
[www.kiwa.nl](http://www.kiwa.nl)

**Supplier**  
AVK International A/S  
Bizonvej, Skovby 1  
GALTEN  
8464 Denmark  
Tel. +45 86 946999  
Fax +45 86 944315  
e-mail: [salg@avk.dk](mailto:salg@avk.dk)  
[www.avkvalves.com](http://www.avkvalves.com)

Certification process  
consists of initial and  
regular inspection of:

- quality system
- product

## Ductile iron wide tolerance couplings

---

### Products specification

The products mentioned below belong to this certificate

Supa Maxi™ Types

- 631/00
- 632/00
- 633/00
- 634/00
- 635/00 PN 10 and PN 16

To be applied to pipes as follows

---

### Ductile iron, Grey iron, Steel and Fibre cement

- DN 50, PN 16
- DN 65, PN 16
- DN 80, PN 16
- DN 100, PN 16
- DN 125, PN 16
- DN 150, PN 16
- DN 200, PN 16
- DN 225, PN 16
- DN 250, PN 16
- DN 300, PN 16

---

### PVC and PE

- DN 50, PN 6 and PN 16
- DN 65, PN 6 and PN 16
- DN 80, PN 6 and PN 16
- DN 100, PN 6 and PN 16
- DN 125, PN 6 and PN 16
- DN 150, PN 6 and PN 16
- DN 200, PN 6 and PN 16
- DN 225, PN 6 and PN 16
- DN 250, PN 6 and PN 16
- DN 300, PN 6 and PN 16

## Ductile iron wide tolerance couplings

---

### Application and use

The products referred to in this evaluation guideline are intended for use in pipe systems for drinking water transport or wastewater transport.

### Marking

The Kiwa<sup>®</sup>-mark products are marked with the wordmark "KIWA".

Place of the mark: on the outside of the coupling

### Compulsory specifications:

- Manufacturer's name or mark;
- Identification of the year of manufacture;
- Identification of ductile iron;
- DN and PN rating of flanges when applicable;
- Reference to this standard;
- An identification of the minimum maximum outside diameters (range of external diameters over which the products works);
- PFA of the coupling of the flange adaptor.

### Method of marking:

- Non-erasable;
- visible after assembly.

## RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- AVK International
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.